

CorePro LEDbulb

CorePro LEDbulb 13-100W 840 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



Product data

General Information

Cap-Base	
Bulb Shape	
Nominal Lifetime	
(Nom)	
Switching Cycle	
Technical Type	

A60 [A 60mm] 15000 h 50000X 13-100W

1521 lm

1521 lm

840 [CCT of 4000K (841)]

E27 [E27]

• Light Technical


Color Code Luminous Flux (Nom) Luminous Flux (Rated) (Nom) Color Designation Correlated Color Temperature (Nom) Luminous Efficacy (rated) (Nom) Color Consistency Color Rendering Index (Nom) LLMF At End Of Nominal Lifetime (Nom)

White (WH) 4000 K n) 117 lm/W <6 80 70 %

• Operating and Electrical

Input Frequency50 to 60 HzPower (Rated)13 W(Nom)110 mALamp Current (Nom)110 mAWattage Equivalent100 WStarting Time (Max)0.5 sWarm Up Time Toinstant full light60% Light (Nom)100 W

Dimensional drawing



Power Factor (Nom) Voltage (Nom)	0 2
Temperature T-Case Maximum (Nom)	8
Controls and Dimming Dimmable	٢
Mechanical and Housing Bulb Finish	F
Approval and Application Suitable For Accent Lighting	n N

Suitable For Accent No Lighting Energy Efficiency A+ Label (EEL) Energy Consumption 13 kWH kWh/1000 h

• Product Data

Full product code	871869651030800
Order product name	CorePro LEDbulb 13-100W 840 E27
EAN/UPC - Product	8718696510308
Order code	929001179402
Numerator - Quan-	1
tity Per Pack	
Numerator - Packs	10
per outer box	
Material Nr. (12NC)	929001179402
Net Weight (Piece)	0.076 kg

LED 13-100W E27 840

Product	D	С
CorePro LEDbulb 13-100W 840 E27	60 mm	110 mm

No A+ 13 kWh


0.5 220-240 ∨

80 °C


No

Frosted

Dimensional drawing



Photometric data





© 2016 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting